

SharXS 1500W BRILLIANT 10/CS 1/SKU



Product features and benefits

- SHARXS lamp family provides consistent lengths and bases for simplified fixture designs
- Robust design with eXtreme Seal (XS) technology, allowing up to 450°C at the pinch seal
- Consistent lumen output over the life of the lamp
- Higher luminous efficacy than conventional HID lamps provides higher fixture efficiency

Areas of application

- Concert lighting
- Club & Disco
- Stage and theatre
- Studio, TV and film
- Architecture & Architainment

Product datasheet

Technical data

General product information

| Product Number | 55244 | |
|-------------------|------------------------------------|--|
| Product Name | SharXS 1500W BRILLIANT 10/CS 1/SKU | |
| Family Brand Name | SharXS HTI | |

Electrical data

| Nominal Wattage | 1500 W | |
|-----------------|--------|--|
| Nominal Voltage | 110 V | |

Light technical data

| Luminous Flux | 132000 lm | |
|-----------------------|-----------|--|
| Color Temperature | 6200 K | |
| Color Rendering Index | 93 | |
| Average Rated Life | 750 h | |

Physical attributes

| Base | SFC10-4 | | |
|---------------------------|----------|--|--|
| Length (mm) | 136 mm | | |
| Diameter d (in) | 0.984 in | | |
| Diameter d (mm) | 25.00 mm | | |
| Electrode Gap - cold (mm) | 7 | | |

Additional product data

| Lampholder | SFc10-4 |
|----------------|----------|
| Cooling | Fan |
| Forced Cooling | Required |
| Hot Restart | Yes |

Packaging Information

| Product number | EAN/UPC | Packaging | Quantity | Outside dimensions l x w x h | Gross weight |
|----------------|---------------|---------------------|----------|------------------------------|--------------|
| 55244 | 4062172060936 | Shipping box (Case) | 1 | 7.2 in x 3.4 in x 2.3 in | 0.2 lb |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

OSRAM does not accept liability for errors, changes and omissions.