

## 93721 QXL 750W 77V 12/CS 1/SKU



### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

### Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

# Product datasheet

## Technical data

### General product information

Product Number	54882
Product Name	93721 QXL 750W 77V 12/CS 1/SKU
Application	Entertainment, Architectural
Product Remark	<ul style="list-style-type: none"><li>- QXL is a trademark of Electronics Theatre Controls Inc., and used under license</li><li>- The QXL 750/77 lamp has been designed and approved by ETC in the Source Four Revolution</li></ul>

### Electrical data

Nominal Wattage	750 W
Nominal Voltage	77 V
Current (A)	9.74 A
Type of Current	AC

### Light technical data

Luminous Flux	22950 lm
Light Center Length - LCL (in)	1.496 in
Light Center Length - LCL (mm)	38 mm
Color Temperature	3250 K
Color Rendering Index	100
Average Rated Life	300 h

### Physical attributes

Base	QXL
Bulb Shape	T6
Maximum Overall Length (in)	4.094 in
Maximum Overall Length (mm)	104 mm
Length l (in)	4.094 in
Length l (mm)	104 mm
Length l max. (in)	4.094 in
Length l max. (mm)	104 mm
Diameter d (in)	0.724 in
Diameter d (mm)	18.40 mm
Distance a (in)	1.496 in
Distance a (mm)	38 mm
Filament	4-C8

## Product datasheet

Filament Dimensions Length (in)	0.3940 in
Filament Dimensions Length (mm)	10 mm
Filament Dimensions Width (in)	0.2362 in
Filament Dimensions Width (mm)	6 mm

### Additional product data

Operating Position	Any
Maximum Base Temperature (°C)	500 C
Lamp Type	SINGLE END

### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54882	4008321090195	Folding box (SKU)	1	1.6 in x 1.6 in x 5.1 in	0.2 lb
54882	4008321090201	Shipping box (Case)	12	6.9 in x 5.9 in x 5.5 in	2.5 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

- OSRAM does not accept liability for errors, changes and omissions.