

---

## CAX 50W 120V 24/CS 1/SKU



---

### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

---

### Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

## Product datasheet

### Technical data

#### General product information

Product Number	58831
Product Name	CAX 50W 120V 24/CS 1/SKU
Application	Projector, Microfilm, Microscope, Studio

#### Electrical data

Nominal Wattage	50 W
Nominal Voltage	120 V
Type of Current	AC

#### Light technical data

Luminous Flux	750 lm
Light Center Length - LCL (in)	1.361 in
Light Center Length - LCL (mm)	34.9 mm
Color Temperature	3000 K
Color Rendering Index	100
Average Rated Life	250 h

#### Physical attributes

Base	BA15D
Bulb Shape	T4
Maximum Overall Length (in)	2.414 in
Maximum Overall Length (mm)	61.9 mm
Length l (in)	2.414 in
Length l (mm)	61.9 mm
Length l max. (in)	2.414 in
Length l max. (mm)	61.9 mm
Diameter d (in)	0.500 in
Diameter d (mm)	12.70 mm
Distance a (in)	1.361 in
Distance a (mm)	34.9 mm
Filament	CC-2V

#### Additional product data

Operating Position	Any
Lamp Type	SINGLE END

## Product datasheet

---

### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
58831	0046135588310	Folding box (SKU)	1	1.3 in x 1.3 in x 3.5 in	0.1 lb
58831	10046135588317	Shipping box (Case)	24	8.3 in x 5.6 in x 4.5 in	1.8 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.