

## FFT 1000W 120V 12/CS 1/SKU



### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

### Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

# Product datasheet

---

## Technical data

### General product information

Product Number	54350
Product Name	FFT 1000W 120V 12/CS 1/SKU
Application	Stage & Studio

### Electrical data

Nominal Wattage	1000 W
Nominal Voltage	120 V
Type of Current	AC

### Light technical data

Luminous Flux	27000 lm
Color Temperature	3200 K
Color Rendering Index	100
Average Rated Life	300 h

### Physical attributes

Base	R7S
Bulb Shape	T3
Maximum Overall Length (in)	6.533 in
Maximum Overall Length (mm)	167.5 mm
Length l1 (in)	6.533 in
Length l1 (mm)	167.5 mm
Length l1 max. (in)	6.533 in
Length l1 max. (mm)	167.5 mm
Filament	C-6
Length l2 (in)	6.416 in
Length l2 max. (in)	6.416
Length l2 max. (mm)	164.5 mm
Length l2 (mm)	164.5 mm

### Additional product data

Lamp Type	DOUBLE END
-----------	------------

---

## Packaging Information

## Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Gross weight
54350	0046135543500	Folding box (SKU)	1	1.3 in x 1.3 in x 11 in	0.1 lb
54350	10046135543507	Shipping box (Case)	12	12 in x 5.7 in x 4.5 in	1.3 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.