

PAR1 48IN16GAULSF2 50/CS 10/SKU



Product features and benefits

- Ceramic housings designed specifically for high temperature applications
- High quality contact materials for optimal mechanical and electrical properties
- UL recognized and CE certified

Areas of application

- Halogen Fixtures
- Metal Halide Fixtures
- Halogen Instrumentation
- Halogen Equipment

Product datasheet

Technical data

General product information

Product Number	69013
Product Name	PAR1 48IN16GAULSF2 50/CS 10/SKU
CSA File No.	LR20904
Old Part Number	F598000

Electrical data

Maximum Wattage (W)	1000 W
Maximum Voltage (V)	250 V

Physical attributes

Length (in)	2.5 in
Length (mm)	63.5 mm
Width (in)	0.92 in
Width (mm)	23.4 mm
Height (in)	1.378 in
Height (mm)	35 mm
Body Material	Ceramic Steatite with Aluminum Cover
Contact Material	Nickel
Wire Type	SF2
Wire Gauge (AWG)	16 AWG
Wire Color(s)	White
Lead Length (in)	48 in
Lead Length (mm)	1219 mm
Lead Strip Length (in)	0.25 in
Lead Strip Length (mm)	6 mm

Additional product data

Lamp Base Reference	GX16d, Mogul, Extended Mogul End Prong
Maximum Operating Temperature (°C)	200 C
Rohs Compliant	Yes
Underwriters Laboratories File No.	E31557

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Gross weight
69013	4008321485533	Shipping box (Case)	10	10.1 in x 7.4 in x 2.4 in	3 lb

Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Gross weight
----------------	---------	-----------	----------	------------------------------	--------------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.