
Areas of application

- Concert lighting
- Club & Disco

Product datasheet

Technical data

General product information

| | |
|-------------------|-------------------------------|
| Product Number | 54750 |
| Product Name | SIRIUS HRI 140W RO 2/CS 1/SKU |
| Family Brand Name | SIRIUS HRI |
| Application | Moving head fixtures |

Electrical data

| | |
|-----------------|-------|
| Nominal Wattage | 140 W |
| Nominal Voltage | 70 V |
| Current (A) | 1.9 A |

Light technical data

| | |
|-------------------------|---------|
| Luminous Flux | 5400 lm |
| Working Distance a (in) | 1.48 in |
| Working Distance a (mm) | 37.7 mm |
| Color Temperature | 9200 K |
| Average Rated Life | 6000 h |

Physical attributes

| | |
|---------------------------|-----------|
| Bulb Shape | REFLECTOR |
| Length l (in) | 1.73 in |
| Length l (mm) | 44 mm |
| Diameter d (mm) | 46.00 mm |
| Electrode Gap - cold (mm) | 1 mm |

Additional product data

| | |
|--------------------|----------|
| Operating Position | ANY |
| Forced Cooling | Required |

Packaging Information

| Product number | EAN/UPC | Packaging | Quantity | Outside dimensions l x w x h | Gross weight |
|----------------|---------------|---------------------|----------|------------------------------|--------------|
| 54750 | 4052899258969 | Folding box (SKU) | 1 | 3.4 in x 3.4 in x 4.1 in | 0.2 lb |
| 54750 | 4052899258976 | Shipping box (Case) | 2 | 7.3 in x 3.8 in x 4.5 in | 0.6 lb |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.